

Produkt
Abdeckstreifen 192
Aktor BA Binärausgang UP 562/11, ohne Wippe
Aktor-BA Binärausgang UP 562, 1-fach DELTA profil
Aktor-BA Binärausgang UP 562, 1-fach i-system
Aktor-BA Binärausgang UP 562, 1-fach i-system LED
Aktor-BA Binärausgang UP 562, 1-fach studio/fläche
Aktor-BA Binärausgang UP 562, 2-fach DELTA profil
Aktor-BA Binärausgang UP 562, 2-fach i-system
Aktor-BA Binärausgang UP 562, 2-fach i-system LED
Aktor-BA Binärausgang UP 562, 2-fach studio/fläche
Aktor-BA Binärausgang UP 562, 4-fach ambiente
Aktor-BA Binärausgang UP 562, 4-fach DELTA profil
Aktor-BA Binärausgang UP 562, 4-fach studio/fläche
Aktor-BA Dimmer UP 525, 1-fach DELTA profil
Aktor-BA Dimmer UP 525, 1-fach i-system
Aktor-BA Dimmer UP 525, 1-fach i-system LED
Aktor-BA Dimmer UP 525, 1-fach studio/fläche
Aktor-BA Dimmer UP 525, 2-fach DELTA profil
Aktor-BA Dimmer UP 525, 2-fach i-system
Aktor-BA Dimmer UP 525, 2-fach i-system LED
Aktor-BA Dimmer UP 525, 2-fach studio/fläche
Aktor-BA Dimmer UP 525, 4-fach DELTA ambiente
Aktor-BA Dimmer UP 525, 4-fach DELTA profil
Aktor-BA Dimmer UP 525, 4-fach studio/fläche
Aktor-BA Dimmer UP 525/11, ohne Wippe
Aktor-BA Jalousie UP 520, 1-fach DELTA profil
Aktor-BA Jalousie UP 520, 1-fach i-system
Aktor-BA Jalousie UP 520, 1-fach i-system LED
Aktor-BA Jalousie UP 520, 1-fach studio/ fläche
Aktor-BA Jalousie UP 520, 2-fach DELTA profil
Aktor-BA Jalousie UP 520, 2-fach i-system
Aktor-BA Jalousie UP 520, 2-fach i-system LED
Aktor-BA Jalousie UP 520, 2-fach studio/ fläche
Aktor-BA Jalousie UP 520, 4-fach DELTA ambiente
Aktor-BA Jalousie UP 520, 4-fach DELTA profil
Aktor-BA Jalousie UP 520, 4-fach studio/ fläche
Aktor-BA Jalousieschalter UP 520/11, ohne Wippe
Anwesenheitssimulationsbaustein N 345 (V4)
Anzeige- und Bedientableau AP 331, DIN A3/A2
Anzeige-/Bedieneinheit UP 584, DELTA style
Anzeige-/Bedieneinheit UP 585, DELTA profil
Anzeige-/Bedieneinheit UP 586, DELTA ambiente
Anzeigeeinheit UP 580, DELTA studio
Anzeigeeinheit UP 581, DELTA fläche
Anzeigeeinheit UP 582, DELTA profil
Anzeigeeinheit UP 583, DELTA ambiente

Product
Actuator for thermal positioners N 605/01
Actuator for thermal positioners N 605/11
Base module APM 610/ 2S, 230V 16A
BCU with binary output UP 562, 1-f. studio/ fläche
BCU with binary output UP 562, 1-fold i-system
BCU with binary output UP 562, 1-fold i-system LED
BCU with binary output UP 562, 1-fold profil
BCU with binary output UP 562, 2-f. studio/fläche
BCU with binary output UP 562, 2-fold i-system
BCU with binary output UP 562, 2-fold i-system LED
BCU with binary output UP 562, 2-fold profil
BCU with binary output UP 562, 4-f. studio/ fläche
BCU with binary output UP 562, 4-fold profil
BCU with binary output UP 562, 4-fold ambiente
BCU with binary output UP 562/11, without rocker
BCU with Dimmer UP 525, 1-fold DELTA profil
BCU with Dimmer UP 525, 1-fold studio/ fläche
BCU with Dimmer UP 525, 1-fold DELTA i-system
BCU with Dimmer UP 525, 1-fold DELTA i-system LED
BCU with Dimmer UP 525, 2-fold DELTA profil
BCU with Dimmer UP 525, 2-fold studio/ fläche
BCU with Dimmer UP 525, 2-fold DELTA i-system
BCU with Dimmer UP 525, 2-fold DELTA i-system LED
BCU with Dimmer UP 525, 4-fold DELTA ambiente
BCU with Dimmer UP 525, 4-fold DELTA profil
BCU with Dimmer UP 525, 4-fold studio/ fläche
BCU with dimmer UP 525/11, without rocker
BCU with shutter switch UP 520 2-f. studio/fläche
BCU with shutter switch UP 520, 1-f. studio/fläche
BCU with shutter switch UP 520, 1-fold profil
BCU with shutter switch UP 520, 1-fold i-system
BCU with shutter switch UP 520, 2-fold i-system
BCU with shutter switch UP 520, 2-fold profil
BCU with shutter switch UP 520, 4-f. studio/fläche
BCU with shutter switch UP 520, 4-fold ambiente
BCU with shutter switch UP 520, 4-fold profil
BCU with shutter switch UP 520, 1-fold i-system LED
BCU with shutter switch UP 520, 2-fold i-system LED
BCU with shutter switch UP 520/11, without rocker
Binary input GE 260, On/off/toggle/cycl
Binary input GE 260, On/off/toggle/Dim/Shu
Binary input GE 260, Values
Binary input GE 261, On/off/toggle/cycl
Binary input GE 261, On/off/toggle/Dim/Shu
Binary input GE 261, Values
Binary input GE 262, On/off/toggle/cycl

Basismodul APM 610/ 2S, 230V 16A
Betriebsstundenzähler N 343, 36 Kanal-Zähler
Bewegungsmelder UP 250, Bewegung
Bewegungsmelder UP 255 DELTA profil, Einzel
Bewegungsmelder UP 255 DELTA profil, Haupt
Bewegungsmelder UP 255 DELTA profil, Neben
Bewegungsmelder UP 256 DELTA ambiente, Einzel
Bewegungsmelder UP 256 DELTA ambiente, Haupt
Bewegungsmelder UP 256 DELTA ambiente, Neben
Bewegungsmelder UP 257 DELTA style, Einzel
Bewegungsmelder UP 257 DELTA style, Haupt
Bewegungsmelder UP 257 DELTA style, Neben
Bewegungsmelder UP 258 DELTA i-system, Einzel
Bewegungsmelder UP 258 DELTA i-system, Haupt
Bewegungsmelder UP 258 DELTA i-system, Neben
Binärausgang GE 561, Status u. Verknüpfung
Binärausgang GE 561, Zwangsführung u. Save/Init.
Binärausgang GE 562, Heizungsantrieb
Binärausgang GE 562, Status u. Verknüpfung
Binärausgang GE 562, Status u. Zeitfunktion
Binärausgang GE 562, Verknüpfung u. Zeitfunktion
Binärausgang GE 562, Zwangsführung u. Save/Init.
Binärausgang GE 563, Heizungsantrieb
Binärausgang GE 563, Status u. Verknüpfung
Binärausgang GE 563, Status u. Zeitfunktion
Binärausgang GE 563, Verknüpfung u. Zeitfunktion
Binärausgang GE 563, Zwangsführung u. Save/Init.
Binärausgang N 560, Verknüpfung u. Zeitfunktion
Binärausgang N 561 PL, Status u. Verknüpfung
Binärausgang N 561 PL, Zwangsführung u. Save/Init.
Binärausgang N 561, Status u. Verknüpfung
Binärausgang N 561, Zwangsführung u. Save/Init.
Binärausgang N 562 PL, Heizantrieb
Binärausgang N 562 PL, Status u. Verknüpfung
Binärausgang N 562 PL, Status u. Zeitfunktion
Binärausgang N 562 PL, Verknüpfung u. Zeitfunktion
Binärausgang N 562 PL, Zwangsführung u. Save/Init.
Binärausgang N 562, Heizungsantrieb
Binärausgang N 562, Status u. Verknüpfung
Binärausgang N 562, Status u. Zeitfunktion
Binärausgang N 562, Verknüpfung u. Zeitfunktion
Binärausgang N 562, Zwangsführung u. Save/Init.
Binärausgang N 566, Status
Binärausgang N 566, Verknüpfung
Binärausgang N 566, Verzögerung
Binärausgang N 566, Zeitfunktion
Binärausgang N 566, Zwangsführung

Binary input GE 262, On/off/toggle/Dim/Shu
Binary input GE 262, Values
Binary input module APM 610/ 4E, 230 V AC
Binary input module APM 610/ 4E, 24 V DC
Binary input N 260 PL, On/off/toggle/cycl
Binary input N 260 PL, On/off/toggle/Dim/Shutter
Binary input N 260 PL, Values
Binary input N 260, On/off/toggle/cycl
Binary input N 260, On/off/toggle/Dim/Shutter
Binary input N 260, Values
Binary input N 261, On/off/toggle/cycl
Binary input N 261, On/off/toggle/Dim/Shutter
Binary input N 261, Values
Binary input N 263, 1*Dimming/2*Shutter
Binary input N 263, 2*Dimming/1*Shutter
Binary input N 263, 2*Switch/2*Shutter
Binary input N 263, 4*Switch/1*Shutter
Binary input N 263, Dimming
Binary input N 263, On/Off (cycl.)
Binary input N 263, On/Off/Toggle
Binary input N 263, Shutter
Binary input N 263, Values (cycl.)
Binary input N 265, 1*Dimming/2*Shutter
Binary input N 265, 2*Dimming/1*Shutter
Binary input N 265, 2*Switch/2*Shutter
Binary input N 265, 4*Switch/1*Shutter
Binary input N 265, Dimming
Binary input N 265, On/Off (cycl.)
Binary input N 265, On/Off/Toggle
Binary input N 265, Shutter
Binary input N 265, Values (cycl.)
Binary output GE 561, positive drive and save/init
Binary output GE 561, status and logic operation
Binary output GE 562, logic oper. and time func.
Binary output GE 562, positive drive and save/init
Binary output GE 562, status and logic operation
Binary output GE 562, status and time function
Binary output GE 562, thermal actuator
Binary output GE 563, logic operation & time funct
Binary output GE 563, positive drive and save/init
Binary output GE 563, status and logic operation
Binary output GE 563, status and time function
Binary output GE 563, thermal actuator
Binary output N 560, logic operation and time func
Binary output N 561 PL, pos. drive and save/init.
Binary output N 561 PL, status and logic operation
Binary output N 561, positive drive and save/init.

Binärausgang UP 560, 2Pkt. Stellantrieb
Binärausgang UP 560, Status u. Verknüpfung
Binärausgang UP 560, Status u. Zeitfunktion
Binäreingang GE 260, Ein/Aus/Um/Dim/Jalo
Binäreingang GE 260, Ein/Aus/Um/Zykl
Binäreingang GE 260, Werte
Binäreingang GE 261, Ein/Aus/Um/Dim/Jalo
Binäreingang GE 261, Ein/Aus/Um/Zykl
Binäreingang GE 261, Werte
Binäreingang GE 262, Ein/Aus/Um/Dim/Jalo
Binäreingang GE 262, Ein/Aus/Um/Zykl
Binäreingang GE 262, Werte
Binäreingang N 260 PL, Ein/Aus/Um/Dim/Jalo
Binäreingang N 260 PL, Ein/Aus/Um/Zykl
Binäreingang N 260 PL, Werte
Binäreingang N 260, Ein/Aus/Um/Dim/Jalo
Binäreingang N 260, Ein/Aus/Um/Zykl
Binäreingang N 260, Werte
Binäreingang N 261, Ein/Aus/Um/Dim/Jalo
Binäreingang N 261, Ein/Aus/Um/Zykl
Binäreingang N 261, Werte
Binäreingang N 263, 1Dim/2Jal
Binäreingang N 263, 2Dim/1Jal
Binäreingang N 263, 2Schalt/2Jal
Binäreingang N 263, 4Schalt/1Jal
Binäreingang N 263, Dimmen
Binäreingang N 263, Ein/Aus (Zy)
Binäreingang N 263, Ein/Aus/Um
Binäreingang N 263, Jalousie
Binäreingang N 263, Werte (Zy)
Binäreingang N 265, 1Dim/2Jal
Binäreingang N 265, 2Dim/1Jal
Binäreingang N 265, 2Schalt/2Jal
Binäreingang N 265, 4Schalt/1Jal
Binäreingang N 265, Dimmen
Binäreingang N 265, Ein/Aus (Zy)
Binäreingang N 265, Ein/Aus/Um
Binäreingang N 265, Jalousie
Binäreingang N 265, Werte (Zy)
Binäreingangsmodul APM 610/ 4E, 230V AC
Binäreingangsmodul APM 610/ 4E, 24V DC
Brandkombimelder AP 256 (V3)
Brandkombimelder AP 256 (V4)
Busankoppler REG 110/02
Busankoppler UP 110 PL
Busankoppler UP 110/02
Busankoppler UP 110/03

Binary output N 561, status and logic operation
Binary output N 562 PL, logic and time func
Binary output N 562 PL, positive drive
Binary output N 562 PL, status and logic operation
Binary output N 562 PL, status and time function
Binary output N 562 PL, thermal actuator
Binary output N 562, logic operation and time func
Binary output N 562, positive drive and save/init
Binary output N 562, status and logic operation
Binary output N 562, status and time function
Binary output N 562, thermal actuator
Binary output N 566, delay
Binary output N 566, logic operations
Binary output N 566, positive drive
Binary output N 566, status
Binary output N 566, time function
Binary output UP 560, 2-step drive
Binary output UP 560, status and logic operation
Binary output UP 560, status and time function
Brightness control module N 342, 10 groups
Brightness sensor GE 252, calibration
Brightness sensor GE 252, constant light
Brightness sensor GE 252, lux value
Brightness sensor GE 252, two-step control
Brightness sensor GE 253, calibration 16 000 lux
Brightness sensor GE 253, value up to 16 000 lux
Brightness sensor GE 254, calibration
Brightness sensor GE 254, constant light
Brightness sensor GE 254, lux value
Brightness sensor GE 254, two-step control
Bus coupling unit REG 110/02
Bus coupling unit UP 110 PL
Bus coupling unit UP 110/02
Bus coupling unit UP 110/03
Bus coupling unit UP 110/11, with claw fixing
Bus coupling unit UP 114
Bus coupling unit UP 114/02
Bus terminals 193
Button IKE 281, On/Off/Toggle/Dim/Shut/Val
Button IKE 282, On/Off/Toggle/Dim/Shut/Val
Button IKE 283, On/Off/Toggle/Dim/Shut/Val
Choke N 120
Combiactuator AP620, 1*Shutter 2*Out 4*In
Combiactuator AP620, 2*Out 1*Shutter 4*In
Combiactuator AP620, 2*Shutter 4*Input
Combiactuator AP620, 4*Output 4*Input
Combined fire alarm AP 256 (V3)

Busankoppler UP 110/11, mit Krallen
Busankoppler UP 114
Busankoppler UP 114/02
Busklemme 193
DALI Schalt- / Dimmaktor N525E, 8-fach
Dämmerungsschalter REG 253
Datenschiene für flache Hutschienen
Datenschiene für flache Hutschienen mit Verbinder
Datenschiene für tiefe Hutschienen
Datenschiene für tiefe Hutschienen mit Verbinder
DELTA BA UP 115/01 (Mittelstell.), Ein-Aus/Dim/Jal
DELTA BA UP 115/11 (Mittelst.), Ein-Aus/Dim/Jalo
DELTA BA UP 115/21 (Tasterstellung), Ein-Aus-Um
DELTA BA UP 115/31 (Tasterst.), Ein-Aus/Dim/Jalo
DELTA BA UP 116/01 (Mittelstell.), Ein-Aus/Dim/Jal
DELTA BA UP 116/11 (Mittelst.), Ein-Aus/Dim/Jalo
DELTA BA UP 116/21 (Tasterstellung), Ein-Aus-Um
DELTA BA UP 116/31 (Tasterst.), Ein-Aus/Dim/Jalo
Drossel N 120
EIB-Schnittstelle DALI GE 141
EIB-Schnittstelle DALI GE 141
Energie- und Leistungszähler N 162 / N 165
Ereignisbaustein N 341
Ereignis-Zeit-Logik Baustein N 350
Helligkeitssensor GE 252, Kalibrierung
Helligkeitssensor GE 252, Konstantlicht
Helligkeitssensor GE 252, Luxwert
Helligkeitssensor GE 252, Zweipunktregelung
Helligkeitssensor GE 253, Kalibrierung 16 000 Lux
Helligkeitssensor GE 253, Luxwert bis 16 000 Lux
Helligkeitssensor GE 254, Kalibrierung
Helligkeitssensor GE 254, Konstantlicht
Helligkeitssensor GE 254, Luxwert
Helligkeitssensor GE 254, Zweipunktregelung
Helligkeitssteuerbaustein N 342, 10 Gruppen
HTS Präsenzmelder UP 258, Hell/Dunkel
HTS Präsenzmelder UP 258, Zyklisch Ein/Aus
IP Controller N 350E
IP-Router N 146
IP-Schnittstelle AP 146
IP-Schnittstelle N 148/21
IR-Dekoder N 450/02
IR-Empfänger
Jalousieaktormodul APM 610/ 1W, 230V 3A
Jalousieschalter AP 630/11, 2-fach Jalousie
Jalousieschalter DC N 524, 4-fach
Jalousieschalter GE 521, 1-fach Jalousie

Combined fire alarm AP 256 (V4)
Connector N 191
Connector REG 191/01
Connector REG 191/11
Cover strips 192
DALI Switch/Dim Actuator N 525E, 8-fold
Data rail for deep DIN rails
Data rail for deep DIN rails with int. connector
Data rail for flat DIN rails
Data rail for flat DIN rails with int. connector
DELTA BCU UP 115/01 (neutral pos.), On-off/Dim/Shu
DELTA BCU UP 115/11 (neutral pos.), On-off/Dim/Shu
DELTA BCU UP 115/21 (switch pos.), On-off-toggle
DELTA BCU UP 115/31 (switch pos.), On-off/Dim/Shu
DELTA BCU UP 116/01 (neutral pos.), On-off/Dim/Shu
DELTA BCU UP 116/11 (neutral pos.), On-off/Dim/Shu
DELTA BCU UP 116/21 (switch pos.), On-off-toggle
DELTA BCU UP 116/31 (switch pos.), On-off/Dim/Shu
Display unit UP 580, DELTA studio
Display unit UP 581, DELTA fläche
Display unit UP 582, DELTA profil
Display unit UP 583, DELTA ambiente
Display/Control Unit UP 584, DELTA style
Display/Control Unit UP 585, DELTA profil
Display/Control Unit UP 586, DELTA ambiente
Dual Sensor AP 254, Brightness/Temperature/Switch
EIB-Gateway DALI GE 141 (V2)
EIB-Gateway DALI GE 141 (V3)
EIB-Gateway DALI GE 141 (V5)
Elapsed time counter N 343, 36 channel counter
Energy and Power Meter N 162 / N 165
Event-Schedule-Logic Controller N 350
HTS Presence detector UP 258, bright/dark eval.
HTS Presence detector UP 258, cyclical On/Off
Information control panel AP 331, DIN A3/A2
Interface N 148/02
Interface N 148/04
Interface N 148/11 USB
Interface UP 142, DELTA ambiente
Interface UP 142E USB, DELTA ambiente
Interface UP 146, DELTA profil
Interface UP 146E USB, DELTA profil/style
Interface UP 147, DELTA fläche
Interface UP 148, DELTA studio
IP Controller N 350E
IP-Interface AP 146
IP-Interface N 148/21

Jalousieschalter N 521 PL, 2-fach Jalousie
Jalousieschalter N 521, 2-fach Jalousie
Jalousieschalter N 522/02, 4-fach (ab V1.10)
Jalousieschalter N 523/2, 4-fach
Kombiaktor AP 620, 1*Jalo 2*Ausg. 4*Eing.
Kombiaktor AP 620, 2*Ausg. 1*Jalo 4*Eing.
Kombiaktor AP 620, 2*Jalo. 4*Eing.
Kombiaktor AP 620, 4*Ausg. 4*Eing.
Kombisensor AP 254, Helligkeit/Temperatur/Schalten
Koppler wave / instabus UP 140
Lastschalter AP 630/01, 4f. Status u. Zeitfunktion
Lastschalter GE 510, Heizungsantrieb
Lastschalter GE 510, Status u. Verknüpfung
Lastschalter GE 510, Status u. Zeitfunktion
Lastschalter N 510/02, Status, Verknüpf., Zeitfkt.
Lastschalter N 510/03, Status, Verknüpf, Zeitfkt
Lastschalter N 510/04, Status, Verknüpf, Zeitfkt
Lastschalter N 512, Blinken vor Aus
Lastschalter N 512, Status, Verknüpf., Zeitfkt.
Lastschalter UP 511
Lastschaltermodul APM 610/ 2S, 230V 16A
Linien- / Bereichskoppler N 140
Linien- / Bereichskoppler N 140/03
Linien- / Bereichskoppler N 140/13
Linien- / Bereichskoppler repeater N 140
Linien- / Bereichsrepeater N 140/03
Linien- / Bereichsrepeater N 140/13
Logikbaustein N 301, AND 8*in u. 2*out
Logikbaustein N 301, INV 4*in u. 4*out
Logikbaustein N 301, Umsetzung für Zwangsführung
Logikbaustein N 301, Verteiler 4*1bit / 4*4bit
Logikbaustein N 301, Verteiler 8*1bit
Logikbaustein N 301, Verteiler 8*1byte
LOGO!
LOGO! /1
Maximumwächter N 360
Meldergruppenterminal N 266
MSR Inst.Leitung PY
Multisensor REG 254, Analogwertgeber
Multisensor REG 254, Analogwertgeber
Multisensor REG 254, Schwellwertschalter
Multisensor REG 254, Schwellwertschalter
Raumtemperaturregler IKE 250, DELTA millennium
Raumtemperaturregler UP 231/2, DELTA profil
Raumtemperaturregler UP 231/3, (adap) profil/style
Raumtemperaturregler UP 237, DELTA i-system
Raumtemperaturregler UP 250/3, DELTA studio

IP-Router N 146
IR Decoder N 450/02
IR Receiver
ISDN-Gateway N 147
Line / backbone coupler N 140
Line / backbone coupler N 140/03
Line / backbone coupler N 140/13
Line / backbone coupler repeater N 140
Line / backbone repeater N 140/03
Line / backbone repeater N 140/13
Load switch AP 630/01, 4f. Status and time func.
Load switch GE 510, status and logic operation
Load switch GE 510, status and time function
Load switch GE 510, thermal actuator
Load switch module APM 610/ 2S, 230V 16A
Load switch N 510/02, status, logic, time funct.
Load switch N 510/03, status, logic, time funct.
Load switch N 510/04, status, logic, time funct.
Load switch N 512, Blink warn before off
Load switch N 512, status, logic op., time funct.
Load Switch UP 511
Logic module N 301, AND 8*in and 2*out
Logic module N 301, conversion for positive drive
Logic module N 301, distributor 4*1 bit / 4*4 bit
Logic module N 301, distributor 8*1 bit
Logic module N 301, distributor 8*1 byte
Logic module N 301, INV 4*in and 4*out
Logical Link Device N 347/02 (V4)
LOGO!
LOGO! /1
Motion detector UP 250, movement
Motion detector UP 255 DELTA profil, Branch
Motion detector UP 255 DELTA profil, Central
Motion detector UP 255 DELTA profil, Single
Motion detector UP 256 DELTA ambiente, Branch
Motion detector UP 256 DELTA ambiente, Central
Motion detector UP 256 DELTA ambiente, Single
Motion detector UP 257 DELTA style, Branch
Motion detector UP 257 DELTA style, Central
Motion detector UP 257 DELTA style, Single
Motion detector UP 258 DELTA i-system, Branch
Motion detector UP 258 DELTA i-system, Central
Motion detector UP 258 DELTA i-system, Single
MSR Inst.cable PY
Multisensor REG 254, Analog value
Multisensor REG 254, Analog value
Multisensor REG 254, Threshold switch

Raumtemperaturregler UP 251/3, DELTA fläche
Raumtemperaturregler UP 252/3, DELTA profil
Raumtemperaturregler UP 253/3, DELTA ambiente
Raumtemperaturregler UP 254/3, DELTA style
Rollladenschalter N 523/3, 4-fach
Schalt- / Dimmaktor GE 525, 1-fach
Schalt- / Dimmaktor N 525/02, 1-fach
Schalt- / Dimmaktor N 526/02, 3-fach
Schalt- / Dimmaktor N 526E
Schalt-/ Dimmaktor GE 526, 1-fach
Schaltaktor N 567/01, (8 Amp)
Schaltaktor N 567/11, (8 Amp)
Schaltaktor N 567/12, (2 Amp)
Schaltbare Steckdose UP 563
Schaltgerät AP 600/01, Ein/Aus, Zeitfunktion
Schaltgerät AP 600/11, 2*Schließer, 1*Jalousie
Schaltgerät AP 600/21, 4*Schließer, Zeitfunktion
Schaltgerät AP 600/31, Ein/Aus, Zeitfunktion
Schaltgerät AP 600/41, 1*Schließ, 1* Öffner, Jalo
Schaltgerät AP 600/51, 2-fach Jalousie
Schaltgerät AP 600/61, Ein/Aus, Zeitfunktion
Schaltgerät AP 600/71, 2-fach Jalousie
Schaltgerät AP 600/81, 4*Öffner Ein/Aus Zeitfkt.
Schnittstelle N 148/02
Schnittstelle N 148/04
Schnittstelle N 148/11 USB
Schnittstelle UP 142, DELTA ambiente
Schnittstelle UP 142E USB, DELTA ambiente
Schnittstelle UP 146, DELTA profil
Schnittstelle UP 146E USB, DELTA profil/style
Schnittstelle UP 147, DELTA fläche
Schnittstelle UP 148, DELTA studio
Spannungsversorgung N 121 (230V / 320mA)
Spannungsversorgung N 122 (230V / 640mA)
Spannungsversorgung N 125/01 (230V / 160mA)
Spannungsversorgung N 125/11 (230V / 320mA)
Spannungsversorgung N 125/21 (230V / 640mA)
Szenenbaustein N 300, 4*Dimmen, 2*Jalousie/Binär
Szenenbaustein N 300, 6*Dimmen (erf. Aktoerstatus)
Szenenbaustein N 300, 6*Jalo/Binär (erf. Aktoerst.)
Szenenbaustein N 300, 8*Dimmen
Szenenbaustein N 300, 8*Jalousie/Binär
Taster + IR UP 233, E-A-Um/Dim/Jalo/Szene
Taster + IR UP 234, E-A-Um/Dim/Jalo/Szene
Taster + IR UP 235, E-A-Um/Dim/Jalo/Szene
Taster + IR UP 284, E-A-Um/Dim/Jalo/Szene
Taster + IR UP 285, E-A-Um/Dim/Jalo/Szene

Multisensor REG 254, Threshold switch
Peak Load Limiter N 360
Power supply unit N 121 (230V / 320mA)
Power supply unit N 122 (230V / 640mA)
Power supply unit N 125/01 (230V / 160mA)
Power supply unit N 125/11 (230V / 320mA)
Power supply unit N 125/21 (230V / 640mA)
Presence Simulation Device N 345 (V4)
Push button + IR UP 233, On/Off/Dim/Shutter/Scene
Push button + IR UP 234, On/Off/Dim/Shutter/Scene
Push button + IR UP 235, On/Off/Dim/Shutter/Scene
Push button + IR UP 284, On/Off/Dim/Shutter/Scene
Push button + IR UP 285, On/Off/Dim/Shutter/Scene
Push button + IR UP 286, On/Off/Dim/Shutter/Scene
Push button + IR UP 287, On/Off/Dim/Shutter/Scene
Push button AP 115/01 (neutral pos), On-Off/Dim/Shu
Push button AP 115/11 (neutral pos), On-Off/Dim/Shu
Push button AP 115/21 (switch pos), On-Off-Toggle
Push button AP 115/31 (switch pos), On-Off/Dim/Shu
Push button interface UP 220/03
Push button interface UP 220/03
Push button interface UP 220/2, Sw/Dim/Shu/Val/Cy
Push button UP 210, BCU2, switch/dimm./shutter
Push button UP 210, BCU2, switch/dimm./shutter
Push button UP 210, On-off-toggle
Push button UP 210, On-off-toggle
Push button UP 210, On-off-toggle/Dim/Shu
Push button UP 210, On-off-toggle/Dim/Shu
Push button UP 211, BCU2, switch/dimm./shutter
Push button UP 211, BCU2, switch/dimm./shutter
Push button UP 211, On-off-toggle
Push button UP 211, On-off-toggle
Push button UP 211, On-off-toggle/Dim/Shu
Push button UP 211, On-off-toggle/Dim/Shu
Push button UP 212, BCU2, switch/dimm./shutter
Push button UP 212, BCU2, switch/dimm./shutter
Push button UP 212, dimming + 4 x on-off-toggle
Push button UP 212, Dimming + 4 x on-off-toggle
Push button UP 212, On-off/dimming/shutter
Push button UP 212, On-off/dimming/shutter
Push button UP 212, On-off-toggle
Push button UP 212, On-off-toggle
Push button UP 212, On-off-toggle/Dim/Shu + values
Push button UP 212, On-off-toggle/Dim/Shu + values
Push button UP 212, Scene prog. setting
Push button UP 212, Scene prog. setting
Push button UP 212, Scene prog. val. interrogation

Taster + IR UP 286, E-A-Um/Dim/Jalo/Szene
Taster + IR UP 287, E-A-Um/Dim/Jalo/Szene
Taster AP 115/01 (Mittelstellung), Ein-Aus/Dim/Jal
Taster AP 115/11 (Mittelstellung), Ein-Aus/Dim/Jal
Taster AP 115/21 (Tasterstellung), Ein-Aus-Um
Taster AP 115/31 (Tasterstellung), Ein-Aus/Dim/Jal
Taster IKE 281, Ein-Aus-Um/Dim/Jalo/Wert
Taster IKE 282, Ein-Aus-Um/Dim/Jalo/Wert
Taster IKE 283, Ein-Aus-Um/Dim/Jalo/Wert
Taster UP 210, BCU2, Schalten/Dimmen/Jalousie
Taster UP 210, BCU2, Schalten/Dimmen/Jalousie
Taster UP 210, Ein-Aus-Um
Taster UP 210, Ein-Aus-Um
Taster UP 210, Ein-Aus-Um/Dim./Jalo.
Taster UP 210, Ein-Aus-Um/Dim./Jalo.
Taster UP 211, BCU2, Schalten/Dimmen/Jalousie
Taster UP 211, BCU2, Schalten/Dimmen/Jalousie
Taster UP 211, Ein-Aus-Um
Taster UP 211, Ein-Aus-Um
Taster UP 211, Ein-Aus-Um/Dim./Jalo.
Taster UP 211, Ein-Aus-Um/Dim./Jalo.
Taster UP 212, BCU2, Schalten/Dimmen/Jalousie
Taster UP 212, BCU2, Schalten/Dimmen/Jalousie
Taster UP 212, Dimmen + 4 x Ein-Aus-Um
Taster UP 212, Dimmen + 4 x Ein-Aus-Um
Taster UP 212, E-A-U/Dim/Jalo + Werte
Taster UP 212, E-A-U/Dim/Jalo + Werte
Taster UP 212, Ein-Aus/Dimmen/Jalousie
Taster UP 212, Ein-Aus/Dimmen/Jalousie
Taster UP 212, Ein-Aus-Um
Taster UP 212, Ein-Aus-Um
Taster UP 212, Szene prog. Einstellung
Taster UP 212, Szene prog. Einstellung
Taster UP 212, Szene prog. Wertabfrage
Taster UP 212, Szene prog. Wertabfrage
Taster UP 215, BCU2, Schalten/Dimmen/Jalousie
Taster UP 215, BCU2, Schalten/Dimmen/Jalousie
Taster UP 215, Ein-Aus-Um
Taster UP 215, Ein-Aus-Um
Taster UP 215, Ein-Aus-Um/Dim./Jalo.
Taster UP 215, Ein-Aus-Um/Dim./Jalo.
Taster UP 216, BCU2, Schalten/Dimmen/Jalousie
Taster UP 216, BCU2, Schalten/Dimmen/Jalousie
Taster UP 216, Ein-Aus-Um
Taster UP 216, Ein-Aus-Um
Taster UP 216, Ein-Aus-Um/Dim./Jalo.
Taster UP 216, Ein-Aus-Um/Dim./Jalo.

Push button UP 212, Scene prog. val. interrogation
Push button UP 215, BCU2, switch/dimm./shutter
Push button UP 215, BCU2, switch/dimm./shutter
Push button UP 215, On-off-toggle
Push button UP 215, On-off-toggle
Push button UP 215, On-off-toggle/Dim/Shu
Push button UP 215, On-off-toggle/Dim/Shu
Push button UP 216, BCU2, switch/dimm./shutter
Push button UP 216, BCU2, switch/dimm./shutter
Push button UP 216, On-off-toggle
Push button UP 216, On-off-toggle
Push button UP 216, On-off-toggle/Dim/Shu
Push button UP 216, On-off-toggle/Dim/Shu
Push button UP 217, BCU2, switch/dimm./shutter
Push button UP 217, BCU2, switch/dimm./shutter
Push button UP 217, Dimming + 4 x on-off-toggle
Push button UP 217, Dimming + 4 x on-off-toggle
Push button UP 217, On-off/dimming/shutter
Push button UP 217, On-off/dimming/shutter
Push button UP 217, On-off-toggle
Push button UP 217, On-off-toggle
Push button UP 217, On-off-toggle/Dim/Shu + values
Push button UP 217, On-off-toggle/Dim/Shu + values
Push button UP 217, Scene prog. setting
Push button UP 217, Scene prog. setting
Push button UP 217, Scene prog. val. interrogation
Push button UP 217, Scene prog. val. interrogation
Push button UP 221, Switch/Dim/Shu/Scene
Push button UP 221E, BCU2, switch/dimm./shutter
Push button UP 221E, On-off-toggle/Dim/Shu
Push button UP 222, Switch/Dim/Shu/Scene
Push button UP 222E, BCU2, switch/dimm./shutter
Push button UP 222E, On-off-toggle/Dim/Shu
Push button UP 223, Switch/Dim/Shu/Scene
Push button UP 230/2, Motdet/On-off-tog/Dim/Shu
Push button UP 231/1, Temp./On-off-toggle/Dim/Shu
Push button UP 241, BCU2, switch/dimm./shutter
Push button UP 241, On-off-toggle/Dim/Shu
Push button UP 242, BCU2, switch/dimm./shutter
Push button UP 242, On-off-toggle/Dim/Shu
Push button UP 243, BCU2, switch/dimm./shutter
Push button UP 243, On-off-toggle/Dim/Shu
Push button UP 244, BCU2, switch/dimm./shutter
Push button UP 244, On-off-toggle/Dim/Shu
Push button UP 245, BCU2, switch/dimm./shutter
Push button UP 245, On/ Off/ Toggle/ Value
Push button UP 245, On-Off/Dim/Shutter

Taster UP 217, BCU2, Schalten/Dimmen/Jalousie
Taster UP 217, BCU2, Schalten/Dimmen/Jalousie
Taster UP 217, Dimmen + 4 x Ein-Aus-Um
Taster UP 217, Dimmen + 4 x Ein-Aus-Um
Taster UP 217, E-A-U/Dim/Jalo + Werte
Taster UP 217, E-A-U/Dim/Jalo + Werte
Taster UP 217, Ein-Aus/Dimmen/Jalousie
Taster UP 217, Ein-Aus/Dimmen/Jalousie
Taster UP 217, Ein-Aus-Um
Taster UP 217, Ein-Aus-Um
Taster UP 217, Szene prog. Einstellung
Taster UP 217, Szene prog. Einstellung
Taster UP 217, Szene prog. Wertabfrage
Taster UP 217, Szene prog. Wertabfrage
Taster UP 221, Schalten/Dimmen/Jalousie/Szene
Taster UP 221E, BCU2, Schalten/Dimmen/Jalousie
Taster UP 221E, E-A-Um/Dim./Jalo
Taster UP 222, Schalten/Dimmen/Jalousie/Szene
Taster UP 222E, BCU2, Schalten/Dimmen/Jalousie
Taster UP 222E, E-A-Um/Dim./Jalo.
Taster UP 223, Schalten/Dimmen/Jalousie/Szene
Taster UP 230/2, Beweg./E-A-U/Dim./Jalo
Taster UP 231/1, Temperat./E-A-U/Dim./Jalo
Taster UP 241, BCU2, Schalten/Dimmen/Jalousie
Taster UP 241, E-A-Um/Dim./Jalo
Taster UP 242, BCU2, Schalten/Dimmen/Jalousie
Taster UP 242, E-A-Um/Dim./Jalo
Taster UP 243, BCU2, Schalten/Dimmen/Jalousie
Taster UP 243, E-A-Um/Dim./Jalo.
Taster UP 244, BCU2, Schalten/Dimmen/Jalousie
Taster UP 244, E-A-Um/Dim./Jalo.
Taster UP 245, BCU2, Schalten/Dimmen/Jalousie
Taster UP 245, Ein/ Aus/ Um/ Wert
Taster UP 245, Ein-Aus/Dim./Jalo.
Taster UP 246, BCU2, Schalten/Dimmen/Jalousie
Taster UP 246, Ein/ Aus/ Um/ Wert
Taster UP 246, Ein-Aus/Dim./Jalo.
Taster UP 284, BCU2, Schalten/Dimmen/Jalousie
Taster UP 284, Ein/ Aus/ Um/ Wert
Taster UP 284, Ein-Aus/Dim/Jalo
Taster UP 285, BCU2, Schalten/Dimmen/Jalousie
Taster UP 285, E-A-Um/Dim./Jalo
Taster UP 286, BCU2, Schalten/Dimmen/Jalousie
Taster UP 286, E-A-Um/Dim./Jalo
Taster UP 287, BCU2, Schalten/Dimmen/Jalousie
Taster UP 287, Ein/ Aus/ Um/ Wert
Taster UP 287, Ein-Aus/Dim./Jalo.

Push button UP 246, BCU2, switch/dimm./shutter
Push button UP 246, On/ Off/ Toggle/ Value
Push button UP 246, On-Off/Dim/Shu
Push button UP 284, BCU2, switch/dimm./shutter
Push button UP 284, On/ Off/ Toggle/ Value
Push button UP 284, On-Off/Dim/Shutter
Push button UP 285, BCU2, switch/dimm./shutter
Push button UP 285, On-off-toggle/Dim/Shu
Push button UP 286, BCU2, switch/dimm./shutter
Push button UP 286, On-off-toggle/Dim/Shu
Push button UP 287, BCU2, switch/dimm./shutter
Push button UP 287, On/ Off/ Toggle/ Value
Push button UP 287, On-Off/Dim/Shutter
Roller shutter switch N 523/3, 4-fold
Scene module N 300, 4*Dimming, 2*Shutter/Binary
Scene module N 300, 6*Dimming (req. act. status)
Scene module N 300, 6*Shu/Binary (req. act.status)
Scene module N 300, 8*Dimming
Scene module N 300, 8*Shutter/Binary
Shutter switch AP 630/11, 2-fold shutter
Shutter switch DC N 524, 4-fold
Shutter switch GE 521, single shutter
Shutter switch module APM 610/ 1W, 230V 3A
Shutter switch N 521 PL, 2-fold shutter
Shutter switch N 521, 2-fold shutter
Shutter switch N 522/02, 4-fold (V1.10 and higher)
Sunblind switch N 523/2, 4-fold
Switched SCHUKO-Socket Outlets UP 563
Switching / Dimming Actuator GE 525, 1-fold
Switching / Dimming Actuator GE 526, 1-fold
Switching / Dimming Actuator N 525/02, 1-fold
Switching / Dimming Actuator N 526/02, 3-fold
Switching / Dimming Actuator N 526E, 8-fold
Switching actuator N 567/01, (8 Amp)
Switching actuator N 567/11, (8 Amp)
Switching actuator N 567/12, (2 Amp)
Switching device AP 600/01, On/off, time function
Switching device AP 600/21, 4*NO contact, timefunc
Switching device AP 600/31, On/off, time function
Switching device AP 600/41, 1*NO, 1* NC, Shu
Switching device AP 600/51, 2-fold shutter
Switching device AP 600/61, On/off, time function
Switching device AP 600/71, 2-fold shutter
Switching device AP 600/81, 4*NC cont, timefunct
Switching device AP600/11, 2*ON contact, 1*Shutter
Temperature contr. UP 231/2, DELTA profil
Temperature contr. UP 231/3, (adapt.) profil/style

Taster-Schnittstelle UP 220/03, E/A/U/ zyklisch
Taster-Schnittstelle UP 220/03, EA/U/Dim/Jalo/Szen
Taster-Schnittstelle UP 220/13, E/A/U/ zyklisch
Taster-Schnittstelle UP 220/13, EA/U/Dim/Jalo/Szen
Taster-Schnittstelle UP 220/2, S/Dim/Jal/Wert/Zy
Thermoantriebaktor N 605/01
Thermoantriebaktor N 605/11
Touch-Manager wave UP 58x
Touch-Panel vision UP 588
Universal I/O-Modul N 670
Universal-Dimmer N 527, Dimmen m. erw. Offset
Universaldimmer N 527/02
Universal-Dimmer N 528, Dimmen m. erw. Offset
Universaldimmer N 528/02
Verbinder N 191
Verbinder REG 191/01
Verbinder REG 191/11
Verknüpfungsbaustein N 347
Wassersensor UP 270, DELTA studio
Wassersensor UP 271, DELTA fläche
Wassersensor UP 272, DELTA profil
Wetterzentrale 4F für 4 Fühler AP 257/11
Wetterzentrale 8F für 8 Fühler AP 257/01
Zeitbaustein N 302, Zeitfunktion 4*in u. 4*out
Zeitgeber AP 391
Zeitschaltuhr REG 371, 2*2 Kanal (kaskadiert)
Zeitschaltuhr REG 371, 2-Kanal (einfach)
Zeitschaltuhr REG 371, Schalt/Wert/Prio/Szene
Zeitschaltuhr REG 372, 4-Kanal
Zeitschaltuhr REG 372, Schalt/Wert/Szene
Zeitschaltuhr REG 372, Schalt/Wert/Temp/Zeit-Empf
Zeitschaltuhr REG 372, Schalt/Wert/Temp/Zeit-Sende
Zeitschaltuhr REG 373, 16-Kanäle

Temperature controller IKE 250, DELTA millennium
Temperature controller UP 237, DELTA i-system
Temperature controller UP 250/3, DELTA studio
Temperature controller UP 251/3, DELTA fläche
Temperature controller UP 252/3, DELTA profil
Temperature controller UP 253/3, DELTA ambiente
Temperature controller UP 254/3, DELTA style
Temperature Sensor N 258
Terminal N 266
Time switch REG 371, 2*2 Channel (cascaded)
Time switch REG 371, 2-Channel (single)
Time switch Reg 371, Switch,Value,Szene,Prio
Time switch REG 372, 4-Channel
Time switch Reg 372, Switch,Value,Priority
Time switch Reg 372, Switch,Value,Time send
Time switch Reg 372, Switch,Value,Time sync
Time switch REG 373, 16-Channel
Timemaster AP 391
Timing module N 302, Time function 4*in and 4*out
Touch-Manager wave UP 58x
Touch-Panel vision UP 588
Twilight switch REG 253
Universal dimmer N 527, dimming with ext. offset
Universal dimmer N 527/02
Universal dimmer N 528, dimming with ext. offset
Universal dimmer N 528/02
Universal I/O Unit N 670
Wall switch interface UP 220/13
Wall switch interface UP 220/13
Water detector UP 270, DELTA studio
Water detector UP 271, DELTA fläche
Water detector UP 272, DELTA profil
Weather station 4F for 4 sensors AP 257/11
Weather station 8F for 8 sensors AP 257/01